Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- Claim 1 (currently amended): A wellbore effluent potentiometric sensor comprising at least one reference electrode; at least one measuring electrode with a membrane; and
 - at least one connector between said reference and said measuring electrode, wherein said electrodes and connector form said potentiometric sensor exposed in operation to said wellbore effluent via an opening or sample channel and wherein said connector provides a continuous conductive path between said reference and said measuring electrode in the presence of hydrocarbon containing effluent: and a discharge element adapted to release an aqueous solution or gel from said at least one reference electrode onto said membrane of said at least one measuring electrode.
- Claim 2 (original): A sensor according to claim 1 wherein the connector comprises a porous material.
- Claim 3 and 4 (cancelled).
- Claim 5 (currently amended): A sensor according to claim 4 1 wherein the discharge element is self-discharging in into the a wellbore effluent.
- Claim 6 (currently amended): A sensor according to claim 4 $\underline{1}$ wherein the discharge element is controlled by an external control unit.
- Claim 7 (currently amended): A downhole tool for measuring characteristic parameter of wellbore effluent comprising a potentiometric sensor having at least one reference electrode; at least one measuring electrode with a membrane; and

at least one connector between said reference and said measuring electrode, wherein said electrodes and connector form said potentiometric sensor exposed in operation to said wellbore effluent via an opening or sample channel and wherein said connector provides a continuous conductive path between said reference and said measuring electrode in the presence of hydrocarbon containing effluent :;

a discharge element adapted to release an aqueous solution or gel directly from said at least one reference electrode onto said membrane of said at least one measuring electrode; and
a sample probe tip with a conduit for sampling fluid, wherein said sensor communicates with said conduit.

Claim 8 (original): A downhole tool according to claim 8 wherein the connector comprises a porous material.

Claims 9 and 10 (cancelled).

Claim 11 (currently amended): A downhole tool according to claim 10 7 wherein the discharge element is self-discharging in into the a wellbore effluent.

Claim 12 (currently amended): A downhole tool according to claim 11 7 wherein the discharge element is controlled by an external control unit.

Claim 13 (new): A sensor according to claim 1 wherein the membrane is ion-selective.

Claim 14 (new): A sensor according to claim 1 wherein the discharge element uses diffusion.

Claim 15 (new): A sensor according to claim 1 wherein in operation the discharge element maintains an aqueous continuum between the measuring electrode and the reference electrode in the presence of a wellbore effluent.

Claim 16 (new): A sensor according to claim 2 wherein the porous material forms a protective layer for the reference electrode.

- Claim 17 (new): A downhole tool according to claim 7 wherein the membrane is ion-selective.
- Claim 18 (new): A downhole tool according to claim 7 wherein the discharge element uses diffusion.
- Claim 19 (new): A downhole tool according to claim 7 wherein in operation the discharge element maintains an aqueous continuum between the measuring electrode and the reference electrode in the presence of the wellbore effluent.
- Claim 20 (new): A downhole tool according to claim 8 wherein the porous material forms a protective layer for the reference electrode.